

SOP6900TN

Category Product Family Power supply Heat source Cooking method Galileo cavity Cleaning system EAN code

60cm Oven Electric Electric Thermo-ventilated Traditional pyro Pyrolytic 8017709314903



Aesthetics

| Aesthetics | Victoria | Serigraphy colour | White |
|---------------|------------------|-------------------|-----------------|
| Colour | Black | Serigraphy type | Symbols |
| Design | Rounded | Door | With panel |
| Material | Painted material | Handle | Victoria |
| Type of steel | Brushed | Handle Colour | Stainless steel |
| Glass Type | Clear1 | Logo | Applied |

Controls

| DigiScreen | No. of controls | 2 |
|---------------|-----------------|-------------------|
| LED | Control knobs | Victoria |
| Control knobs | Controls colour | Steel effect |
| | LED | LED Control knobs |

Programs / Functions

No. of cooking functions

9





Cleaning functions

P Pyrolytic

Options

|); ; | | | |
|----------------------|---------------------------|----------------------|----------------------|
| Time-setting options | Delay start and automatic | Other options | Keep warm, Eco light |
| | end cooking | Showroom demo option | Yes |
| Minute minder | Yes | Rapid pre-heating | Yes |
| Timer | 1 | | |

Technical Features

| .5 🔗 💽 🛛 | 0 🖾 | | |
|----------------------------------|-------------|---|------------------|
| Minimum Temperature | 30 °C | Door opening type | Standard opening |
| Maximum temperature | 280 °C | Door | Cool |
| Shelf positions | 5 | Removable door | Yes |
| Shelves type | Metal racks | Full glass inner door | Yes |
| No. of lights | 2 | Removable inner door | Yes |
| Light type | Halogen | Total no. of door glasses | 4 |
| User-replaceable light | Yes | Safety Thermostat | Yes |
| Light power | 40 W | Chimney | Fixed |
| Light when door is | Yes | Cooling system | Tangential |
| opened | | Cooling duct | Double |
| Lower heating element power | 1200 W | Door Lock During Pyrolisis | Yes |
| Upper heating element - Power | 1000 W | Usable cavity space dimensions (HxWxD) | 353x470x401 mm |
| Grill element - power | 1700 W | Temperature control | Electronic |
| Large grill - Power | 2700 W | | |



Circular heating element 2000 W - Power Heating suspended Yes when door is opened **Cavity material**

Easy clean enamel

Performance / Energy Label




| Energy efficiency class | A | Energy consumption in | 2.88 MJ |
|---|-----------|---|----------|
| Net volume of the cavity | 68 litres | forced air convection | |
| Energy consumption per cycle in conventional mode | 1.09 KWh | Energy consumption per cycle in fan-forced convection | 0.80 KWh |
| Energy consumption in | 3.92 MJ | Number of cavities | 1 |
| conventional mode | - | Energy efficiency index | 95.2 % |
| | | | |

Accessories Included

| Chrome shelf | 1 | Enamelled deep tray | 1 |
|--------------|---|---------------------|---|
| | | (50mm) | |

Electrical Connection

| Voltage | 220-240 V | Frequency (Hz) | 50/60 Hz |
|-------------------|-----------|--------------------|----------|
| Current | 13 A | Power supply cable | 115 cm |
| Nominal power (W) | 3000 W | length | |





Not included accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

| - | E | |
|---|---|---|
| - | _ | |
| 1 | _ | |
| - | | ÷ |
| | | |
| | | |
| - | | - |

GTT2F

ET50

BBQ



GTP2F

PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

ET20

Enamelled tray, 20mm deep





Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

Enamelled tray, 50mm deep



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



Alternative products



SOP6900TX

Stainless steel



SOP6900TP

Cream



Symbols glossary

| C | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. | | Air cooling system: to ensure a safe surface temperatures. |
|------------|---|-----|---|
| DIGI | | 4 | Quadruple glazed: Number of glazed doors. |
| 200 | Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking. | Œ | Electric |
| A | A: Product drying performance, measured from A+++ to D / G depending on the product family | | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |
| | Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven. | * | Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning. |
| (?) (?) | Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods. | () | Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc. |
| | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. | * | Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food. |
| ECO | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. | ~~~ | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. |
| (%) | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food. | | Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked. |



| 凤 | All glass inner door: All glass inner door, a single | | The inner door glass: can be removed with a few |
|-----------|---|----------|---|
| | flat surface which is simple to keep clean. | | quick movements for cleaning. |
| مأأه | Keep warm: This function allows you to keep precooked foods warm. | 0 | Side lights: Two opposing side lights increase visibility inside the oven. |
| P | Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior. | <u>-</u> | Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes. |
| <u>.5</u> | The oven cavity has 5 different cooking levels. | ŝ | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |



The capacity indicates the amount of usable space in the oven cavity in litres.