

PC31GNO



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709199371



Aesthetics



Aesthetic	Classica
Colour	Black
Finishing	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Brass
Components finishing	Black
Serigraphy colour	Grey

Programme / Functions

Total no. of cook zones	1
No. of gas cook zones	1

Options

Worktop Cut-Out	476-480x250-254 mm
-----------------	--------------------

Technical Features

UR

Central - Gas - UR - 6.00 kW


Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Electrical Connection


Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas nozzles included	G110 City gas, G20 Natural gas
Gas connection	Conical	Gas connection rating (W)	6200 W



Not included accessories



GRW
Wok support



GRM
Coffee machine support








WOKGHU
Cast iron WOK Support



1MPC31X
Kit 1 manopola estetica Classica

Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | | |