

# WDF9614

EAN Code Product Family Commercial width Commercial depth Installation Load type

#### 8017709257323 Washer dryer 60 cm Standard capacity Free-standing Frontal



# Programs / Functions

| Controls<br>Programmes graphics<br>No. of programmes<br>Programmes | Electronic<br>Written in EN<br>15 |                 |
|--|-----------------------------------|-----------------|
| 🛱 Cotton   | Cotton ECO                        | Cotton Eco 20°  |
| 12 Minutes   | 🔊 Daily Fast 60°/60'              | Cotton Dry      |
| Quick Wash & Dry   | Cotton Wash & Dry                 | Spin            |
| Rinse  | Wool                              | Xnti-allergy    |
| Duvet  | Synthetics                        | Delicate drying |
| Washing Temperature  |                                   |                 |
| Cool   | 20°C                              | 30°C            |
| 40°C   | 50°C                              | 60°C            |
| 70°C   | 80°C                              | 90°C            |
| Special programmes   |                                   |                 |
| Xnti-allergy   | Wool                              | Quick 12 min    |



#### Display

| Residual time indicator  | delay start                   | Recommended load indicator |
|--|-------------------------------|----------------------------|
| programme status indication  | spin regulation               | temperature regulation     |
| Display type   | DISPLAY                       |                            |
| Buttons/Options  |                               |                            |
| Oelay timer  | G Additional rinse            | No spin                    |
| Serving  |                               |                            |
| Programme progress indicator (li<br>End of cycle indicator (light) | ght) On display<br>On display |                            |

### **Technical Features**

| Type of motor                             | Standard                                    | Door opening                 | 135°               |
|---|---|------------------------------|--------------------|
| Electronic control                        | Yes   | Automatic variable load      | Yes                |
| functioning                               |   | Antifoam system              | Yes                |
| Programme selection                       | Yes   | Load balancing system        | Automatic          |
| knob                                      |   | Easy to access filter        | Yes                |
| Spin speed selection on<br>display/LED    | No spin/ 400/ 600/ 800/<br>1000/ 1200/ 1400 | Child lock (functions block) | Control block      |
| Display/led for<br>temperature regulation | Yes   | Anti-flood system            | Yes<br>Single cold |
| Polypropilene tank                        | Yes   | Water supply                 | Single, cold       |
| Basket                                    | Stainless steel                             |                              |                    |
| Drum capacity                             | 61 I  |                              |                    |
| Door diameter                             | 33 cm                                       |                              |                    |

# Performance / Energy Label

| 9 kg                  | Energy consumption<br>(washing + drying)  | 6.12 KWh  |
|-----------------------|---|---|
| 6 kg<br>1400 airi/min | Water consumption<br>(washing) per cycle  | 49 I  |
|                       |   | 1071  |
| A                     | •   | 127   |
| A                     |   |   |
|                       | •   | C75   |
| AA                    |   | 675 min   |
| 58 dB(A) re 1pW       |   | 24.2.101.0  |
| 77 dB(A) re 1pW       |   | 210 KWh   |
| 64 dB(A) re 1pW       | consumption (washing)   |   |
| 1.05 KWh              | Energy annual<br>consumption<br>(washing+drying)  | 1224 KWh  |
|                       | 6 kg<br>1400 giri/min<br>A<br>A<br>A<br>58 dB(A) re 1pW<br>77 dB(A) re 1pW<br>64 dB(A) re 1pW | 6 kg(washing + drying)6 kgWater consumption1400 giri/min(washing) per cycleAWater consumptionAWater consumptionA(washing+drying) per<br>cycleAADuration of the<br>normative programme58 dB(A) re 1pWEnergy annual<br>consumption (washing)64 dB(A) re 1pWEnergy annual<br>consumption |



| Water annual          | 9800 I  |
|-----------------------|---------|
| consumption (washing) |         |
| Water annual          | 25400 l |
| consumption           |         |
| (washing+drying)      |         |
| Residual humidity     | 3 %     |
| percentage (%)        |         |

# Performance / Energy Label - Reg. 2019

Supplier's name or SMEG trademark



### Symbols glossary (TT)

Variable load: In all models of washing machines Ó is present the system of variable load, according to which the machine automatically diversifies the wash cycle and the time of operation depending on the quantity and type of laundry introduced, allowing a significant saving of water and energy power, up to 30% compared to the versions with fixed load.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



LCD display: to optimize performance and simplify the use of the appliance.



Gentle drying: program designed to get laundry ready for easy ironing.



This option advises when the periodic cleaning of the filters is needed, in order to avoid forgetfulness and thus guarantee the perfect functioning of the dryer over time. The convenient position of the filters makes maintenance fast and extremely simple.



Antiallergic: Antiallergic program with particular attention to the total removal of residual detergent.



Cotton Eco 20°: For soiled fabrics in cotton

| ŝ | Cot |
|---|-----|

ୖ

()

vibration.

peak energy periods.

ton: For soiled fabrics in cotton

Automatic Load Balancing: provides an ideal

being controlled in such way to evenly

distribution of laundry in the drum. In case if the

imbalance is detected, the rotation speed starts

redistribute laundry in the drum, and thus reduce

Delay timer: can be set to run the programme at

a convenient time or to take advantage of off-

33 cm: Large loading hatch of 30-32-33 cm in

easier and faster with maximum ease of use.

diameter, makes laundry loading and unloading

A: Product drying performance, measured from

A+++ to D / G depending on the product family

No spin option: this option allows to exclude the

last spin phase, draing the water from the tank

Use to wash your normally soiled, durable cotton and linen laundry. Although it washes longer than all other programmes, it provides high energy and water savings. Actual water temperature may be different from the stated wash temperature. When you load the machine with less laundry (e.g. <sup>1</sup>/<sub>2</sub> capacity or less), programme time may automatically get shorter. In this case, energy and water consumption will decrease more, providing a more economic wash. This programme is available in the models with the remaining time indicator.



Super fast 12 min: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.

|   | 0 |
|---|---|
| I | 8 |

Duvet: gentle cycle specific for duvet.

allergies or skin problems.

Extra Rinse: Extra Rinse: adds an extra rinse

cycle to that already provided in the program

function is particularly suitable for those with

chosen, to remove any residual detergent. This



Extra rinse: The Extra rinse option: can be added to the selected programme when more thorough cleansing of special fabrics is needed.





| -   |
|-----|
| (0) |
|     |

Spin speed control: On the control panel there is a spin speed control knob. In some models, the maximum spin speed is 1400 rpm / min. You can also to exclude spin.



Synthetics: to wash your synthetic clothes (shirts, blouses, synthetic/cotton blends, etc.). It washes with a gentle action and has a shorter washing cycle compared to the Cottons programme. For curtains and tulle, use the Synthetic 40°C programme with prewash and anti-creasing functions selected. As their meshed texture causes excessive foaming, wash the veils/tulle by putting little amount of detergent into the main wash compartment. Do not put detergent in the prewash compartment.

| ١t | 1 | ` | ۰ | _   | 7 |   |
|----|---|---|---|-----|---|---|
| 1  | ٦ | 4 |   | . 1 | ۲ | 1 |
|    | 1 | 1 |   | N   |   | I |
|    |   | ą | e | y   |   | 1 |

Wool: this programme for wool or delicate fabrics uses slower rotations of the drum to ensure the utmost care for clothing.