

# SF4920VCP1

**Product Family:** Oven  
**Category:** 45cm compact  
**Power supply:** Electric  
**Heat source:** Electric  
**Cooking method:** Combi Steam  
**Steam technology:** Full steam  
**Cleaning system:** Vapor Clean  
**Oven control:** Electronic  
**EAN code:** 8017709241049



## Aesthetics

Aesthetics: Victoria  
Design: Rounded  
Colour: Cream  
Material: Painted material  
Glass Type: Clear  
Serigraphy colour: Grey  
Serigraphy type: Symbols

Door: With panel  
Handle: Victoria  
Handle Colour: Steel effect  
Logo: Applied

## Programs / Functions

No. of cooking functions: 14  
Automatic programmes: 20

Traditional cooking functions




Cooking functions with Full Steam technology



Other Steam functions



Other functions



Cleaning functions



## Controls

Display / Clock: Large LCD  
Control setting: Control knobs

No. of controls: 2  
Control knobs: Victoria



Controls colour: Steel effect

## Options

---

Timer: Electronic  
Time-setting options: Delay start and automatic end cooking  
Minute minder  
End of cooking acoustic alarm  
Limited Power Consumption Mode  
Controls Lock / Child Safety

Other options: Keep warm, Eco light  
Showroom demo option  
Rapid pre-heating

## Technical Features

---

Temperature control: Electronic  
Minimum Temperature: 30 °C  
Maximum temperature: 250 °C  
Cavity material: Ever clean Enamel  
No. of shelves: 3  
Shelves type: Metal racks  
No. of lights: 1  
Light type: Halogen  
Light Power: 40 W  
Water tank capacity: 1.2 litres  
Light when door is opened  
Lower heating element power: 1000 W  
Grill element - power: 2000 W  
Circular heating element - Power: 1400 W  
Boiler - Power: 900 W  
Door opening type: Standard opening  
Door: Temperate door  
Removable door

Full glass inner door  
Removable inner door  
Total no. of door glasses: 3  
No. of thermoreflecting door glasses: 1  
Soft Close hinges  
Safety Thermostat  
Heating suspended when door is opened  
Cooling system: Tangential  
Cooling duct: Single  
Water loading: Automatic  
Tank capacity: 1,2 L  
Steam generation: Autostart, continuous generation  
Steam stops when door is opened  
Usable cavity space dimensions (HxWxD): 212x462x407 mm

## Performance / Energy Label

---

Energy efficiency class (2002/40/CE): A  
Energy efficiency class: A+  
Net volume of the cavity: 41 litres  
Energy consumption per cycle in conventional mode: 0.85 KWh  
Energy consumption per cycle in fan-forced convection: 0.59 KWh

No. of cavities: 1  
Energy efficiency index: 81.9 %  
Gross volume: 50 litres

## Accessories Included

---

Grid with back stop: 1  
Insert grid: 1  
Enamelled deep tray (40mm): 1  
St/steel tray (20mm): 1  
St/steel perforated deep tray (40mm): 1

Other: Sponge/ Boiler cover/ Beaker

## Electrical Connection

---

Voltage: 220-240 V  
Electrical connection rating (W): 3100 W  
Current: 14 Amp  
Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

## Accessories not included

---



**BN620-1**  
Enamelled tray, 20mm deep



**BN640**  
Enamelled tray, 40mm deep



**BNP608T**  
Teflon tray, 8mm deep



**BVG**  
Glass tray and stainless steel grid, 40mm deep



**GT1PV**  
Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm.  
Material: Stainless steel AISI 430 polished.



**GT1TV**  
Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm.  
Material: Stainless steel AISI 304 polished.



**MDB**  
Handle for double tray



**PALPZ**  
Pizza shovel with fold away handle width: 315mm length : 325mm



**PPR2**  
Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



**PR3845X**  
Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



**PRTX**  
Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

