

SI5632D



Product Family Built-in Dimensions Power supply Type EAN code Hob Ultra-low profile or Fully Flushed 60 cm Electric Induction 8017709262976



Aesthetics

DIGI	
Aesthetics	Universal
Colour	Black
Finishing	Glass
Material	Glass
Glass Type	Ceramic
Glass edge	Straight edge
Type of control setting	Touch control
Slider	Red
Control knobs position	Front
Serigraphy colour	Grey

Programs / Functions

P	
Total no. of cook zones	3
No. of induction cook zones	3
No. of cooking zones with booster	3
Main on/off switch	Yes
Power levels	14

Options

Standard cut out

490x560 mm

Residual time indicator Yes



End cooking timer3Pause optionYesMinute minder3End of cooking acousticYesalarmYes

Limited Power Consumption Mode	Yes
Limited Power	1500, 2000, 2500, 3000,
Consumption Mode in W	3500, 4000, 4500, 5000, 6000, 7200 W
Show Room Demo Option	Yes
Control Lock / Child Safety	Yes

Technical Features

Front left - Induction - single - 2.30 kW - Booster 3.70 kW - Ø 21 cm Rear left - Induction - single - 1.40 kW - Booster 2.50 kW - Ø 14.5 cm Front right - Induction - giant - 1.80 - 2.80 kW - Booster 3.50 - 3.60 kW - Ø 18/28 cm

Automatic setting according to pan	Yes	Automatic switch off when overflow	Yes
dimension		Eco-Heat	Yes
Automatic pan detection	Yes	Eco-Off	Yes
Minimum pan diameter indication	Yes		
Automatic switch off when overheat	Yes		

Electrical Connection

Nominal power (W) Voltage (V) Type of electric cable 7200 W 220-240 V Single phase

Frequency (Hz)	50/60 Hz
Power supply cable length	150 cm
Terminal Box	5 poles







Not included accessories



ТРК

Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary

P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	ს	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
ICO HLAT ==_	Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.	Eco logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
100 C	Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.	0	Giant zone: The giant zone offers extra space and flexibility.
STOP ℃∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	(U)	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
14 19	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		PAUSE_72dpi
\bigcirc	Time elapsed: shows how long the cooking zone has been in use.	()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
DIGI	Touch control		