

# SI2321D




Product Family Hob

Built-in Ultra-low profile or Fully Flushed

Dimensions30 cmPower supplyElectricTypeInduction

EAN code 8017709330644



#### **Aesthetics**



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingTouch control

Slider Red
Control knobs position Front
Serigraphy colour Grey

## **Programs / Functions**



Total no. of cook zones 2
No. of induction cook zones 2
No. of cooking zones with booster 2
Main on/off switch Yes
Power levels 9

### **Options**











Standard cut out 478-482x252-256 mm

Residual time indicator Yes

SMEG SPA 23/01/2024



Control Lock / Child End cooking timer 2

Minute minder 1

End of cooking acoustic Yes

alarm

Yes

Safety

**Quick start** Yes

#### **Technical Features**







Front centre - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 14.5 cm Rear centre - Induction - single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm

**Automatic** setting Residual heat indicator Yes according to pan **Eco-Off** dimension

Automatic pan Yes accidental start up detection

Minimum pan diameter Yes

indication

Automatic switch off Yes

when overheat

Yes **Protection against** Yes

#### **Electrical Connection**

Nominal power (W) 3600 W Type of electric cable Single phase 50/60 Hz Current 16 A Frequency (Hz) Voltage (V) 220-240 V Power supply cable 120 cm length

> 20 510 300 252-256 22

**SMEG SPA** 23/01/2024



## Not included accessories



TPK Stainless steel grill plate to cook Teppanyaki dishes



SCRP Induction and ceramic hobs and teppanyaki scraper

SMEG SPA 23/01/2024



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control

SMEG SPA 23/01/2024