

SF6300VX



Category 60cm
Product Family Oven
Power supply Electric
Heat source Electric
Cooking method Fan assisted
EAN code 8017709281793



Aesthetics

Aesthetics Classic
Colour Stainless steel
Finishing Fingerproof
Design Flat
Material Stainless steel

Glass Type Eclipse Serigraphy colour Black Serigraphy type

Door With 2 horizontal strips

Symbols

Handle Classic

Handle Colour Stainless steel

Logo Embossed
Control knobs Classic

Controls



Display nameDigiScreenControl settingKnobs & touch buttons

6

Display technology LED No. of controls 2

Programs / Functions

No. of cooking functions
Traditional cooking functions

Static Fan assisted ECO ECO

Large grill Fan grill (large) Fan assisted base

Options







Time-setting options Delay start and automatic

end cooking

Minute minder Yes

Timer 1 Controls Lock / Child

Safety

Rapid pre-heating Yes

Technical Features







Minimum Temperature







1200 W



Ü 50 °C

Maximum temperature 250°C Shelf positions No. of lights 1

Light type Halogen User-replaceable light Yes Light power 40 W Light when door is Yes

opened Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill element - power 2700 W Large grill - Power Heating suspended Yes when door is opened

Door opening type Standard opening Door Temperate door

Yes

360x460x425 mm

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3

Cooling system **Tangential** Cooling duct Single Speed Reduction Yes

Cooling System

Usable cavity space dimensions (HxWxD)

Electronic Temperature control

Cavity material Easy clean enamel

Performance / Energy Label





Energy efficiency class

Net volume of the cavity 70 litres Energy consumption per 1.15 KWh

cycle in conventional

mode

Energy consumption in conventional mode

4.14 MJ

Energy consumption in 2.88 MJ forced air convection

Energy consumption per 0.80 KWh

cycle in fan-forced convection

Number of cavities

Energy efficiency index 95,2 %

Accessories Included

Chrome shelf with back 1 and side stop

Extra deep enamelled

tray (40mm)

Electrical Connection

220-240 V Voltage 13 A Current

Frequency (Hz)

50/60 Hz

11/06/2024 **SMEG SPA**




Nominal power (W)

3000 W

Power supply cable length

115 cm





Not included accessories

PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.





Pizza shovel with fold away handle width: 315mm length: 325mm



BN620-1

Enamelled tray, 20mm deep



BN640

Enamelled tray, 40mm deep



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.



Triple glazed doors: Number of glazed doors.



Electric



A: Product drying performance, measured from A+++ to D / G depending on the product family



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



The oven cavity has 5 different cooking levels.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.